

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4242	(magnetic adj resonance) and ((fix\$3 or attach\$3) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 14:58
S2	7356	(magnetic adj resonance) and ((fix\$3 or attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable or mov\$3 or movable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 14:59
S3	621	(magnetic adj resonance) and ((fix\$3 or attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable or mov\$3 or movable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:00
S4	555	(magnetic adj resonance) and ((attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable or mov\$3 or movable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:01
S5	466	(magnetic adj resonance) and ((attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:02
S6	315	(magnetic adj resonance) and ((attach\$3 or detach\$3 or detachable or attachable or insert\$3 or insertable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover))	USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:26
S7	365	S5 not (@ad>"20031112" or @rlad>"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:04
S8	294	S6 not (@ad>"20031112" or @rlad>"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 09:16

EAST Search History

S9	202	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near3 (coil or antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover))	USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:27
S11	209	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:31
S12	5352	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:32
S13	5359	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:33
S14	2469	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/13 10:25
S15	2165	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:38
S16	1088	S15 and (hous\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:38

EAST Search History

S17	1116	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3))	USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:38
S18	457	S17 and (hous\$3)	USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:39
S19	273	S18 not (catheter)	USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/03/17 15:39
S20	20	("5304933" "5378989" "5574373" "5585724" "5675305" "5729141" "5736858" "5804968").PN. OR ("5952830").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/03/17 15:55
S21	4	(US-5952830-\$ or US-5551430-\$ or US-5664568-\$ or US-6591128-\$).did.	USPAT	OR	ON	2007/08/13 08:51
S22	0	S21 and ("SENSE")	USPAT	OR	ON	2007/08/13 08:54
S23	8652	(magnetic adj resonance) and ((multiple or plurality or group or array or many or several or various) near (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3 or coil))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/13 08:53
S24	1305	S23 and ("SENSE")	USPAT	OR	ON	2007/08/13 09:12
S25	577	S24 and (head)	USPAT	OR	ON	2007/08/13 09:13
S26	115	S23 and ("SENSE" near (technique or method or imaging or procedure))	USPAT	OR	ON	2007/08/13 09:13
S27	52	S26 and (head)	USPAT	OR	ON	2007/08/13 09:13
S28	5	("4682112" "4712068" "4839595" "5500594" "6534983").PN. OR ("6812701").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/13 09:15
S29	2555	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/19 14:15

EAST Search History

S30	557	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3) with (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency or transmitt\$3 or transmission or reception or receiv\$3 or transceiv\$3 or coil))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/13 10:29
S31	2	US-20070069728-\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/13 16:09
S32	2	S31 and (fix\$3 or permanent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 08:59
S33	2	US-20070069728-\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 08:58
S34	1	S33 and (thick\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 13:11
S35	0	S33 and (permanent\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 09:00
S36	867	(magnetic adj resonance) and (thick\$4 near4 (coil or antenna or conductor or probe or leg or rung or resonator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 09:16
S37	713	(magnetic adj resonance) and (thickness near4 (coil or antenna or conductor or probe or leg or rung or resonator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 09:15
S38	630	S36 not (@ad>"20031112" or @rlad>"20031112")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 09:16

EAST Search History

S39	110	(magnetic adj resonance) and (mm near4 thick\$4 near4 (coil or antenna or conductor or probe or leg or rung or resonator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 09:16
S40	3	(US-6768303-\$ or US-6348794-\$ or US-6198284-\$).did.	USPAT	OR	ON	2007/08/14 10:02
S41	3	S40 and (copper)	USPAT	OR	ON	2007/08/14 10:02
S42	1	(US-6768303-\$).did.	USPAT	OR	ON	2007/08/14 10:21
S43	0	S42 and (thiockness or dimension)	USPAT	OR	ON	2007/08/14 10:22
S44	0	S42 and (thickness or dimension)	USPAT	OR	ON	2007/08/14 10:22
S45	1	S42 and (thick\$3 or dimension\$5)	USPAT	OR	ON	2007/08/14 10:23
S46	1	S33 and (copper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 11:20
S47	0	S33 and (interchang\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 11:21
S48	1	S33 and ((multiple or plurality or array or group) with plate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 11:24
S49	1	S33 and (cover near plates)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 11:25
S50	1	S33 and ("sense")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 12:41
S51	10	(US-6717406-\$ or US-5986531-\$ or US-6591128-\$ or US-5952830-\$ or US-5664568-\$ or US-5457387-\$ or US-5551430-\$ or US-6768303-\$ or US-6348794-\$ or US-6198284-\$).did.	USPAT	OR	ON	2007/08/14 12:45
S52	3	S51 and (substrate)	USPAT	OR	ON	2007/08/14 12:52
S53	6	S51 and (cyлинд\$5)	USPAT	OR	ON	2007/08/14 13:23

EAST Search History

S54	2	S33 and (position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/08/14 13:11
S55	8	S51 and (reconstruct\$3 or transform\$3 or fourier or "FT")	USPAT	OR	ON	2007/08/14 13:29
S56	10	S51 and (imag\$3)	USPAT	OR	ON	2007/08/14 13:29
S57	331	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3) with (receiv\$3 or "rf" or "r.f." or radio adj frequency or radiofrequency or reception or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/19 14:58
S58	51	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3) with (receiv\$3 or "rf" or "r.f." or radio adj frequency or radiofrequency or reception or detect\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/19 15:21
S59	9886	(324/300-322).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/19 15:21
S60	12	S59 and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3) with (receiv\$3 or "rf" or "r.f." or radio adj frequency or radiofrequency or reception or detect\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/19 15:21
S61	76	S59 and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable or slid\$4) near4 (lid or cover or hous\$3 or shield\$3) with (receiv\$3 or "rf" or "r.f." or radio adj frequency or radiofrequency or reception or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/19 15:31

EAST Search History

S62	1173	S59 and ((lid or cover or hous\$3 or shield\$3) near4 (receiv\$3 or "rf" or "r. f." or radio adj frequency or radiofrequency or reception or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/19 15:31
S63	125	(magnetic adj resonance) and ((detach\$3 or detachable or attachable or insert\$3 or insertable or remov\$3 or removable) near3 (antenna or probe or resonator or "rf" or "r.f." or radio adj frequency) with (hous\$3 or plate or shield\$3 or cover))	USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/19 15:34